



# ભાર્ષવ ટચ વખાવો...

ઈલેક્ટ્રીક ધોકથી જીંદગી બચાવો.



- Over Voltage
- Electric Shock
- Over Load
- Short Circuit

## OPEN CHALLENGE

સીંગલ ફેઈજ હોય કે ટ્રી ફેઈજ...  
ઈલેક્ટ્રીકનો ખુલ્લો વાયર હાથમાં પકડી લેવાની છુટ




આપને ત્યા ભાર્ષવ ટચ લગાવેલ હોય તોજ...



# Alert

1Ø, 2-Pole, 220V, 50Hz.





MODEL	25 Amps	32 Amps	40 Amps	63 Amps	PROTECTIONS & FEATURES
 DPL	1700-00	1800-00	1900-00	2000-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE, VARIABLE mA LEAKAGE SETTING, EMERGENCY BYE PASS, SELF TESTING, WORKING/BYE PASS, INDICATOR.
 SVL	2100-00	2200-00	2350-00	2500-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER VOLTAGE, POWER WASTAGE, OVER LOAD, NEUTRAL RETURN & TWO PHASING VARIABLE mA LEAKAGE SETTING, EMERGENCY BYE PASS, TRIPPING LED, SELF TESTING VIDEO INDICATOR & BUILT IN 100A TERMINAL CONNECTOR BLOCK.
 SVLS	2600-00	2750-00	2900-00	3050-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE NEUTRAL RETURN & TWO PHASING OVER VOLTAGE, VARIABLE mA LEAKAGE SETTING, BYE PASS, TRIPPING LED, SELF TESTING, WITH TIMER SIREN FACILITY, WORKING BYE PASS, VIDEO INDICATOR, & BUILT IN 100A TERMINAL CONNECTOR BLOCK.



# Alert

3Ø, 4-Pole, 440V, 50Hz.




MODEL	25 Amps	32 Amps	40 Amps	63 Amps	PROTECTIONS & FEATURES
 FPL	3300-00	3500-00	3800-00	4000-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE, VARIABLE mA LEAKAGE SETTING, EMERGENCY BYE PASS, FULLY SELF TESTING, WORKING/BYE PASS, 2 TERMINAL CONNECTER, EMERGENCY LIGHT FACILITY.
 FPSL	4000-00	4100-00	4450-00	4700-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER VOLTAGE, RESPECT TO NEUTRAL OVER LOAD, POWER WASTAGE, NEUTRAL RETURN & TWO PHASING, VARIABLE mA LEAKAGE SETTING, BYE PASS, TRIPPING LED, SELF TESTING, WITH TIMER SIREN FACILITY, WORKING BYE PASS, VIDEO INDICATOR & BUILT IN 100A TERMINAL CONNECTOR BLOCK.



# LIVE TOUCH

1Ø, 2-Pole, 220V, 50Hz.




MODEL	25 Amps	32 Amps	40 Amps	63 Amps	PROTECTIONS & FEATURES
 BRO	2400-00	2500-00	2750-00	2900-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE NEUTRAL RETURN & TWO PHASING OVER VOLTAGE, VARIABLE mA LEAKAGE SETTING, BYE PASS, TRIPPING LED, SELF TESTING, WITH TIMER SIREN FACILITY, WORKING BYE PASS, VIDEO INDICATOR & BUILT IN 100A TERMINAL CONNECTOR BLOCK.



# LIVE TOUCH

3Ø, 4-Pole, 440V, 50Hz.





MODEL	25 Amps	32 Amps	40 Amps	63 Amps	PROTECTIONS & FEATURES
 BROS	3500-00	3650-00	3950-00	4250-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER VOLATGE, RESPECT TO NEUTRAL, OVER LOAD, POWER WASTAGE, NEUTRAL RETURN & TWO PHASING, VARIABLE mA LEAKAGE SETTING, BYE PASS, TRIPPING LED, SELF TESTING, WITH TIMER SIREN FACILITY, WORKING BYE PASS, VIDEO INDICATOR & BUILT IN 100A TERMINAL CONNECTOR BLOCK.



## SUPER LIFE

1Ø, 2-Pole, 220V, 50Hz.




MODEL	25 Amps	32 Amps	40 Amps	63 Amps	PROTECTIONS & FEATURES
 CVSL	2250-00	2350-00	2500-00	2750-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE, OVER VOLTAGE, RETURN PHASE IN NEUTRAL & TWO PHASING, VARIABLE mA LEAKAGE SETTING, EMERGENCY BYE PASS, SELF TESTING, WORKING/BYE PASS INDICATOR, WITH TIMER SIREN FACILITY, EMERGENCY LIGHT, FEATURES OFF OPTION.
 DPCL	3000-00	3150-00	3350-00	3500-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE, OVER VOLTAGE, RETURN PHASE IN NEUTRAL & TWO PHASING, VARIABLE mA LEAKAGE SETTING, EMERGENCY BYE PASS, SELF TESTING, WORKING/BYE PASS INDICATOR, WITH TIMER SIREN FACILITY, EMERGENCY LIGHT, FEATURES OFF OPTION.



## SUPER LIFE

3Ø, 4-Pole, 440V, 50Hz.





MODEL	25 Amps	32 Amps	40 Amps	63 Amps	PROTECTIONS & FEATURES
 FPXL	4150-00	4250-00	4700-00	5000-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER VOLTAGE, RESPECT TO NEUTRAL, OVER LOAD, POWER WASTAGE, NEUTRAL RETURN & TWO PHASING, VARIABLE mA LEAKAGE SETTING, BYE PASS, TRIPPING LED, SELF TESTING, WITH TIMER SIREN FACILITY, WORKING BYE PASS, VIDEO INDICATOR & BUILT IN 100A TERMINAL CONNECTOR BLOCK.



## SALAMATI

1Ø, 2-Pole, 220V, 50Hz.



MODEL	25 Amps	32 Amps	40 Amps	63 Amps	PROTECTIONS & FEATURES
 DPSL	2200-00	2300-00	2500-00	2650-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE, NEUTRAL RETURN & TWO PHASING OVER VOLTAGE, VARIABLE mA LEAKAGE SETTING, BYE PASS, TRIPPING LED, SELF TESTING, WITH TIMER SIREN FACILITY, WORKING BYE PASS, VIDEO INDICATOR & BUILT IN 100A TERMINAL CONNECTOR BLOCK.
 DPXL	2500-00	2600-00	2800-00	3000-00	ELECTRIC SHOCK, SHORT CIRCUIT, OVER LOAD, EARTH FAULT, POWER WASTAGE, NEUTRAL RETURN & TWO PHASING OVER VOLTAGE, VARIABLE mA LEAKAGE SETTING, BYE PASS, TRIPPING LED, SELF TESTING, WITH TIMER SIREN FACILITY, WORKING BYE PASS, VIDEO INDICATOR & BUILT IN 100A TERMINAL CONNECTOR BLOCK.



# ભારતીય ટેક વસાવો...

ઈલેક્ટ્રીક શોકથી જીંદગી બચાવો.



Sr. No.	Electronic Equipment	Capacity Walt	Current Ampier	Consumption of power in one hour unit
1	Lamp	100	0.43	0.1
2	Tubelight	40	0.2	0.04
3	Fan 48"	65	0.3	0.07
4	Iron	750	3.3	0.75
5	Mixer/Juicer	350	1.6	0.35
6	T.V.	75	0.4	0.08
7	House Grinder 1 H.P.	750	4.0	0.75
8	Refrigerator 165 Lt.	400	2.0	0.4
9	Refrigerator 265 Lt.	550	2.5	0.55
10	Electronic Burver	1500	6.5	1.5

Sr. No.	Electronic Equipment	Capacity Walt	Current Ampier	Consumption of power in one hour unit
11	Toaster	600	2.6	0.6
12	Geasure	3000	13	3.0
13	Washing Machine	1300	6.0	1.3
14	Water Pump 0.5 H.P.	375	2.0	.038
15	Air Conditioner 1 Tone	1500	7.0	1.5
16	Air Conditioner 1.5 Tone	2500	11.0	2.5
17	Computer	250	1.1	0.25
18	Printer	1000	4.5	1.0
19	Xerox Mashine	1500	6.7	1.5
20	Water Cooler	750	3.7	0.75

## IN OUR OTHER BRANDS...



**CUSTOMER RESPONSE**  
we respond quickly to customer requirement



**QUALITY**  
we assure good quality product



**INNOVATION**  
we are proud for regular innovation



**EFFICIENCY**  
we strain for higher efficiency



**EASY TO INSTALL**  
install as per your project

**1 H.P. = 746 Watt, 1000 Watt = 1 K.V. 1 K.V. = 1.34 H.P. 1 H.P. = 1.5 Ampier, 1 Ampier = 1000 Mili Ampier**  
**By using 1000 watts for one hour it mean consumption of electricity of 1 Unit.**

Terms & Conditions:- (1) Above prices are exclusive of all taxes, packing, forwarding, handling, insurance and all taxes will be charged extra if applicable. (2) Prices and technical specifications are subject to change without prior notice. (3) The above prices and warranty services will be Ex-Works. (4) Please read our all technical literature, Information Booklet, Warning, Warranty terms and other terms and conditions before your or purchase. (5) Once ordered will not be canceled. (6) Goods once sold will not be accepted back in any circumstances. (7) Payment 100% Cash against delivery or document through bank, otherwise interest will be charged @16% from the date of invoice. (8) Product warranty is against manufacturing defect as per product related booklet/warranty card terms and conditions only. (9) We packs & checks goods carefully for dispatch on purchaser's risk. The purchasers will file all claims for loss, damages or shortage direct with carrier. We are not responsible, once goods leave our premises. (10) E. & O. E. (11) Other terms and conditions are reserve for manufacturer. (12) Subject to Rajkot Jurisdiction only.



"Ravi Deep" 3rd Floor, 1/4 Tirupati Ind. Area,  
Opp. Radhe Hotel, 150 Ft. Ring Road, Rajkot. Mobile : +91 9978920191 / 92  
E-mail : info@priyanshielctrotech.com / priyanshielectrotech@gmail.com  
Web.: www.priyanshielctrotech.com

